

Orthopedic Coding Alert

ICD-10: New Cervical Disc Disorder Diagnoses Identify Level

Abandon the mysterious "mid-cervical" term for more specific options.

After October 1, ICD-10-CM will revise the way you report cervical disc disorders and takes away the mystery of what "mid-cervical" actually means. Instead, you will have to identify the C4-C7 level, meaning the physician needs to document this information.

"This is a simply an expansion for greater specificity," says **Heidi Stout, BA, CPC, COSC, PCS, CCS-P**, Coder on Call, Inc., Milltown, New Jersey. "Current code M50.02 (Cervical disc disorder with myelopathy, mid-cervical region) captures the C4-5, C5-6, and C6-7 levels, and as of October, we'll have individual codes to specify each level." The four new options are:

- M50.020 ☐ Cervical disc disorder with myelopathy, mid-cervical region, unspecified level
- M50.021 ☐ Cervical disc disorder at C4-C5 level with myelopathy
- M50.022 ☐ Cervical disc disorder at C5-C6 level with myelopathy
- M50.023 ☐ Cervical disc disorder at C6-C7 level with myelopathy.

Similarly, you should delete M50.12 (Cervical disc disorder with radiculopathy, mid-cervical region) and add the following four options:

- M50.120 ☐ Mid-cervical disc disorder, unspecified
- M50.121 ☐ Cervical disc disorder at C4-C5 level with radiculopathy
- M50.122 ☐ Cervical disc disorder at C5-C6 level with radiculopathy
- M50.123 ☐ Cervical disc disorder at C6-C7 level with radiculopathy.

Strike through M50.22 (Other cervical disc displacement, mid-cervical region), and look to these more specific codes:

- M50.220 ☐ Other cervical disc displacement, mid-cervical region, unspecified level
- M50.221 ☐ Other cervical disc displacement at C4-C5 level
- M50.222 ☐ Other cervical disc displacement at C5-C6 level
- M50.223 ☐ Other cervical disc displacement at C6-C7 level.

Again, you won't need M50.32 (Other cervical disc degeneration, mid-cervical region). Instead, you will use:

- M50.320 ☐ Other cervical disc degeneration, mid-cervical region, unspecified level
- M50.321 ☐ Other cervical disc degeneration at C4-C5 level
- M50.322 ☐ Other cervical disc degeneration at C5-C6 level
- M50.323 ☐ Other cervical disc degeneration at C6-C7 level.

You can also forget M50.82 (Other cervical disc disorders, mid-cervical region), and use these diagnoses:

- M50.820 ☐ Other cervical disc disorders, mid-cervical region, unspecified level
- M50.821 ☐ Other cervical disc disorders at C4-C5 level
- M50.822 ☐ Other cervical disc disorders at C5-C6 level
- M50.823 ☐ Other cervical disc disorders at C6-C7 level.

Finally, as of October 1, you will stop using M50.92 (Cervical disc disorder, unspecified, mid-cervical region), and go for

these codes instead:

- M50.920 ☐ Unspecified cervical disc disorder, mid-cervical region, unspecified level
- M50.921 ☐ Unspecified cervical disc disorder at C4-C5 level
- M50.922 ☐ Unspecified cervical disc disorder at C5-C6 level
- M50.923 ☐ Unspecified cervical disc disorder at C6-C7 level.

Important: Remember, you should avoid the unspecified code whenever possible. Your physicians should document to the highest specificity, which includes the cervical level.