

Home Health ICD-9/ICD-10 Alert

YOU BE THE CODER: GET SPECIFIC WITH MRSA

Question: Our patient has an implanted port infected with *Staphylococcus aureus* resistant to penicillin and bacitracin. She also has MRSA pneumonia. Our focus of care is wound care for the port. How should we code for her?

-- New Jersey Subscriber.

Answer: List the following codes for this patient, says **Judy Adams, RN, BSN, HCS-D, COS-C**, president and CEO of Adams Home Care Consulting in Chapel Hill, N.C.

- M0230a: 999.31 (Infection due to central venous catheter);
- M0240b: 041.12 (Methicillin resistant *Staphylococcus aureus*);
- M0240c: V09.81 (Infection with microorganisms resistant to multiple drugs, with resistance to multiple drugs); and
- M0240d: 482.42 (Methicillin resistant pneumonia due to *Staphylococcus aureus*).

You're providing wound care for this patient, but the wound is complicated, so it's not appropriate to use a V code for wound care or aftercare. Instead, list 999.31 to describe the infected wound. Next, coding guidelines require you to list a code to identify the specified infection -- 041.12 in this case. Use V09.81 to show that the infection is resistant to multiple drugs. Finally, 482.42 adds specificity by indicating that the patient's pneumonia was caused by MRSA-resistant *Staphylococcus aureus*.