



ICD-9-CM Code	ICD-10-CM Code(s)
724.2	Lumbago
ICD-10-CM Codes	M54.5 Low back pain (Lumbago, NOS) M54.40 Lumbago with sciatica, unspecified site M54.41 Lumbago with sciatica, right side M54.42 Lumbago with sciatica, left side
724.02	Spinal stenosis, lumbar region, without neurogenic claudication
ICD-10-CM Codes	M48.06 Spinal stenosis, lumbar region M48.07 Spinal stenosis, lumbosacral region
722.52	Degeneration of lumbar or lumbosacral intervertebral disc
ICD-10-CM Codes	M51.36 Other intervertebral disc degeneration, lumbar region M51.37 Other intervertebral disc degeneration, lumbosacral region
723.1	Cervicalgia M54.2 Cervicalgia
724.3	Sciatica
ICD-10-CM Codes	M54.30 Sciatica, unspecified site M54.31 Sciatica, right side M54.32 Sciatica, left side M54.40 Lumbago with sciatica, unspecified site M54.41 Lumbago with sciatica, right side M54.42 Lumbago with sciatica, left side
722.10	Displacement of lumbar intervertebral disc without myelopathy
ICD-10-CM Codes	M51.26 Other intervertebral disc displacement, lumbar region M51.27 Other intervertebral disc displacement, lumbosacral region
722.4	Degeneration of cervical intervertebral disc
ICD-10-CM Codes	M50.30 Other cervical disc degeneration, unspecified cervical region M50.31 Other cervical disc degeneration, occipito-atlanto-axial region M50.32 Other cervical disc degeneration, mid-cervical region M50.33 Other cervical disc degeneration, cervicothoracic region
737.30	Scoliosis (and kyphoscoliosis), idiopathic
ICD-10-CM Codes	M41.112 Juvenile idiopathic scoliosis, cervical region M41.113 Juvenile idiopathic scoliosis, cervicothoracic region M41.114 Juvenile idiopathic scoliosis, thoracic region M41.115 Juvenile idiopathic scoliosis, thoracolumbar region M41.116 Juvenile idiopathic scoliosis, lumbar region M41.117 Juvenile idiopathic scoliosis, lumbosacral region M41.119 Juvenile idiopathic scoliosis, site unspecified M41.122 Adolescent idiopathic scoliosis, cervical region M41.123 Adolescent idiopathic scoliosis, cervicothoracic region M41.124 Adolescent idiopathic scoliosis, thoracic region M41.125 Adolescent idiopathic scoliosis, thoracolumbar region M41.126 Adolescent idiopathic scoliosis, lumbar region M41.127 Adolescent idiopathic scoliosis, lumbosacral region M41.129 Adolescent idiopathic scoliosis, site unspecified

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	M41.20 Other idiopathic scoliosis, site unspecified M41.22 Other idiopathic scoliosis, cervical region M41.23 Other idiopathic scoliosis, cervicothoracic region M41.24 Other idiopathic scoliosis, thoracic region M41.25 Other idiopathic scoliosis, thoracolumbar region M41.26 Other idiopathic scoliosis, lumbar region M41.27 Other idiopathic scoliosis, lumbosacral region
719.41	Pain in joint, shoulder region
ICD-10-CM Codes	M25.511 Pain in right shoulder M25.512 Pain in left shoulder M25.519 Pain in unspecified shoulder
840.4	Sprain and strain of rotator cuff (capsule)
The appropriate 7 th character is to be added to each code from category S43 .	
A	initial encounter
D	subsequent
S	sequela
ICD-10-CM Codes	** These codes require a 7th character extender. S43.421 Sprain of right rotator cuff capsule S43.422 Sprain of left rotator cuff capsule S43.429 Sprain of unspecified rotator cuff capsule
729.5	Pain in limb
ICD-10-CM Codes	M79.609 Pain in unspecified limb ** There are more specific code choice selections available in ICD-10-CM. These include: M79.601 Pain in right arm' M79.602 Pain in left arm M79.603 Pain in arm, unspecified M79.604 Pain in right leg M79.605 Pain in left leg M79.606 Pain in leg, unspecified M79.631 Pain in right upper arm M79.622 Pain in left upper arm M79.629 Pain in unspecified upper arm M79.631 Pain in right forearm M79.632 Pain in left forearm M79.639 Pain in unspecified forearm M79.651 Pain in right thigh M79.652 Pain in left thigh M79.659 Pain in unspecified thigh M79.661 Pain in right lower leg M79.662 Pain in left lower leg M79.669 Pain in unspecified lower leg
715.91	Osteoarthritis, unspecified whether generalized or localized, shoulder region
ICD-10-CM Codes	M19.011 Primary osteoarthritis, right shoulder M19.012 Primary osteoarthritis, left shoulder M19.019 Primary osteoarthritis, unspecified shoulder



ICD-9-CM Code	ICD-10-CM Code(s)
727.61	Complete rupture of rotator cuff
ICD-10-CM Codes	<p>M75.100 Unspecified rotator cuff tear or rupture of unspecified shoulder, not specified as traumatic</p> <p>M75.101 Unspecified rotator cuff tear or rupture of right shoulder, not specified as traumatic</p> <p>M75.102 Unspecified rotator cuff tear or rupture of left shoulder, not specified as traumatic</p> <p>M75.110 Incomplete rotator cuff tear or rupture of unspecified shoulder, not specified as traumatic</p> <p>M75.111 Incomplete rotator cuff tear or rupture of right shoulder, not specified as traumatic</p> <p>M75.112 Incomplete rotator cuff tear or rupture of left shoulder, not specified as traumatic</p> <p>M75.120 Complete rotator cuff tear or rupture of unspecified shoulder, not specified as traumatic</p> <p>M75.121 Complete rotator cuff tear or rupture of right shoulder, not specified as traumatic</p> <p>M75.122 Complete rotator cuff tear or rupture of left shoulder, not specified as traumatic</p>
756.12	Spondylolisthesis, congenital Q76.2 Congenital spondylolisthesis
812.00	Fracture of humerus, upper end, unspecified part, closed
The appropriate 7 th character is to be added to each code from category S42 .	
A	initial encounter for closed fracture
B	initial encounter for open fracture
D	subsequent encounter for fracture with routine healing
G	subsequent encounter for fracture with delayed healing
K	subsequent encounter for fracture with nonunion
P	subsequent encounter for fracture with malunion
S	sequela
ICD-10-CM Codes	<p>** These codes require a 7th character extender.</p> <p>S42.201 Unspecified fracture of upper end of right humerus</p> <p>S42.202 Unspecified fracture of upper end of left humerus</p> <p>S42.209 Unspecified fracture of upper end of unspecified humerus</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>S42.211 Unspecified displaced fracture of surgical neck of right humerus</p> <p>S42.212 Unspecified displaced fracture of surgical neck of left humerus</p> <p>S42.214 Unspecified nondisplaced fracture of surgical neck of right humerus</p> <p>S42.215 Unspecified nondisplaced fracture of surgical neck of left humerus</p> <p>S42.216 Unspecified nondisplaced fracture of surgical neck of unspecified humerus</p> <p>S42.219 Unspecified displaced fracture of surgical neck of unspecified humerus</p> <p>S42.221 2-part displaced fracture of surgical neck of right humerus</p> <p>S42.222 2-part displaced fracture of surgical neck of left humerus</p> <p>S42.223 2-part displaced fracture of surgical neck of unspecified humerus</p> <p>S42.224 2-part nondisplaced fracture of surgical neck of right humerus</p>

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	<p>S42.225 2-part nondisplaced fracture of surgical neck of left humerus</p> <p>S42.226 2-part nondisplaced fracture of surgical neck of unspecified humerus</p> <p>S42.231 3-part fracture of surgical neck of right humerus</p> <p>S42.232 3-part fracture of surgical neck of left humerus</p> <p>S42.239 3-part fracture of surgical neck of unspecified humerus</p> <p>S42.241 4-part fracture of surgical neck of right humerus</p> <p>S42.242 4-part fracture of surgical neck of left humerus</p> <p>S42.249 4-part fracture of surgical neck of unspecified humerus</p> <p>S42.251 Displaced fracture of greater tuberosity of right humerus</p> <p>S42.252 Displaced fracture of greater tuberosity of left humerus</p> <p>S42.253 Displaced fracture of greater tuberosity of unspecified humerus</p> <p>S42.254 Nondisplaced fracture of greater tuberosity of right humerus</p> <p>S42.255 Nondisplaced fracture of greater tuberosity of left humerus</p> <p>S42.256 Nondisplaced fracture of greater tuberosity of unspecified humerus</p> <p>S42.261 Displaced fracture of lesser tuberosity of right humerus</p> <p>S42.262 Displaced fracture of lesser tuberosity of left humerus</p> <p>S42.263 Displaced fracture of lesser tuberosity of unspecified humerus</p> <p>S42.264 Nondisplaced fracture of lesser tuberosity of right humerus</p> <p>S42.265 Nondisplaced fracture of lesser tuberosity of left humerus</p> <p>S42.266 Nondisplaced fracture of lesser tuberosity of unspecified humerus</p> <p>S42.271 Torus fracture of upper end of right humerus</p> <p>S42.272 Torus fracture of upper end of left humerus</p> <p>S42.279 Torus fracture of upper end of unspecified humerus</p> <p>S42.291 Other displaced fracture of upper end of right humerus</p> <p>S42.292 Other displaced fracture of upper end of left humerus</p> <p>S42.293 Other displaced fracture of upper end of unspecified humerus</p> <p>S42.294 Other nondisplaced fracture of upper end of right humerus</p> <p>S42.295 Other nondisplaced fracture of upper end of left humerus</p> <p>S42.296 Other nondisplaced fracture of upper end of unspecified humerus</p>
738.4	Acquired spondylolisthesis
ICD-10-CM Codes	<p>M43.10 Spondylolisthesis, site unspecified</p> <p>M43.11 Spondylolisthesis, occipito-atlanto-axial region</p> <p>M43.12 Spondylolisthesis, cervical region</p> <p>M43.13 Spondylolisthesis, cervicothoracic region</p> <p>M43.14 Spondylolisthesis, thoracic region</p> <p>M43.15 Spondylolisthesis, thoracolumbar region</p> <p>M43.16 Spondylolisthesis, lumbar region</p> <p>M43.17 Spondylolisthesis, lumbosacral region</p> <p>M43.18 Spondylolisthesis, sacral and sacrococcygeal region</p> <p>M43.19 Spondylolisthesis, multiple sites in spine</p>



ICD-9-CM Code	ICD-10-CM Code(s)
722.0	Displacement of cervical intervertebral disc without myelopathy
ICD-10-CM Codes	<p>M50.20 Other cervical disc displacement, unspecified cervical region</p> <p>M50.21 Other cervical disc displacement, occipito-atlanto-axial region</p> <p>M50.22 Other cervical disc displacement, mid-cervical region</p> <p>M50.23 Other cervical disc displacement, cervicothoracic region</p>
724.00	Spinal stenosis, unspecified region
ICD-10-CM Codes	<p>M48.00 Spinal stenosis, site unspecified</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>M48.01 Spinal stenosis, occipito-atlanto-axial region</p> <p>M48.02 Spinal stenosis, cervical region</p> <p>M48.03 Spinal stenosis, cervicothoracic region</p> <p>M48.04 Spinal stenosis, thoracic region</p> <p>M48.05 Spinal stenosis, thoracolumbar region</p> <p>M48.06 Spinal stenosis, lumbar region</p> <p>M48.07 Spinal stenosis, lumbosacral region</p> <p>M48.08 Spinal stenosis, sacral and sacrococcygeal region</p>
840.6	Sprain and strain supraspinatus (muscle) (tendon)
The appropriate 7 th character is to be added to each code from category S43 .	
A	initial encounter
D	subsequent
S	sequela
ICD-10-CM Codes	<p>** These codes require a 7th character extender.</p> <p>S43.50 Sprain of unspecified acromioclavicular joint</p> <p>S43.51 Sprain of right acromioclavicular joint</p> <p>S43.52 Sprain of left acromioclavicular joint</p> <p>S43.60 Sprain of unspecified sternoclavicular joint</p> <p>S43.61 Sprain of right sternoclavicular joint</p> <p>S43.62 Sprain of left sternoclavicular joint</p> <p>S43.8 Sprain of other specified parts of unspecified shoulder girdle</p> <p>S43.81 Sprain of other specified parts of right shoulder girdle</p> <p>S43.82 Sprain of other specified parts of left shoulder girdle</p> <p>S43.90 Sprain of unspecified parts of unspecified shoulder girdle</p> <p>S43.91 Sprain of unspecified parts of right shoulder girdle</p> <p>S43.92 Sprain of unspecified parts of the left shoulder girdle</p> <p>S43.491 Other sprain of right shoulder joint</p> <p>S43.492 Other sprain of left shoulder joint</p> <p>S43.499 Other sprain of unspecified shoulder joint</p>
805.02	Fracture, cervical, closed, second cervical vertebra
The appropriate 7 th character is to be added to each code from category S12.0–S12.6 .	
A	initial encounter for closed fracture
B	initial encounter for open fracture
D	subsequent encounter for fracture with routine healing

ICD-9-CM Code	ICD-10-CM Code(s)
G	subsequent encounter for fracture with delayed healing
K	subsequent encounter for fracture with nonunion
S	sequela
ICD-10-CM Codes	<p>** These codes require a 7th character extender.</p> <p>S12.100 Unspecified displaced fracture of second cervical vertebra</p> <p>S12.101 Unspecified nondisplaced fracture of second cervical vertebra</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>S12.01 Stable burst fracture of the first cervical vertebra</p> <p>S12.02 Unstable burst fracture of first cervical vertebra</p> <p>S12.030 Displaced posterior arch fracture of first cervical vertebra</p> <p>S12.031 Nondisplaced posterior arch fracture of first cervical vertebra</p> <p>S12.040 Displaced lateral mass fracture of first cervical vertebra</p> <p>S12.041 Nondisplaced lateral mass fracture of first cervical vertebra</p> <p>S12.090 Other displaced fracture of first cervical vertebra</p> <p>S12.091 Other nondisplaced fracture of first cervical vertebra</p> <p>S12.110 Anterior displaced Type II dens fracture</p> <p>S12.111 Posterior displaced Type II dens fracture</p> <p>S12.112 Nondisplaced Type II dens fracture</p> <p>S12.120 Other displaced dens fracture</p> <p>S12.121 Other nondisplaced dens fracture</p> <p>S12.190 Other displaced fracture of second cervical vertebra</p> <p>S12.191 Other nondisplaced fracture of second cervical vertebra. Code also any associated cervical spinal cord injury (S14.0, S14.1-)</p>
721.1	Cervical spondylosis with myelopathy
	M47.12 Other spondylosis with myelopathy, cervical region
805.4	Fracture, lumbar, closed
The appropriate 7 th character is to be added to each code from category S32 .	
A	initial encounter for closed fracture
B	initial encounter for open fracture
D	subsequent encounter for fracture with routine healing
G	subsequent encounter for fracture with delayed healing
K	subsequent encounter for fracture with nonunion
P	subsequent encounter for fracture with malunion
S	sequela
ICD-10-CM Codes	<p>** These codes require a 7th character extender.</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>S32.000- Wedge compression fracture of unspecified lumbar vertebra</p> <p>S32.001- Stable burst fracture of unspecified lumbar vertebra</p> <p>S32.008- Other fracture of unspecified lumbar vertebra</p> <p>S32.009- Unspecified fracture of unspecified lumbar vertebra</p> <p>S32.010- Wedge compression fracture of first lumbar vertebra</p> <p>S32.011- Stable burst fracture of first lumbar vertebra</p> <p>S32.012- Unstable burst fracture of first lumbar vertebra</p> <p>S32.019- Unspecified fracture of first lumbar vertebra</p>



ICD-9-CM Code	ICD-10-CM Code(s)
805.4	Continued...
ICD-10-CM Codes (cont.)	<p>S32.020- Wedge compression fracture of second lumbar vertebra</p> <p>S32.021- Stable burst fracture of second lumbar vertebra</p> <p>S32.022- Unstable burst fracture of second lumbar vertebra</p> <p>S32.028- Other fracture of second lumbar vertebra</p> <p>S32.029- Unspecified fracture of second lumbar vertebra</p> <p>S32.030- Wedge compression fracture of third lumbar vertebra</p> <p>S32.031- Stable burst fracture of third lumbar vertebra</p> <p>S32.032- Unstable burst fracture of third lumbar vertebra</p> <p>S32.038- Other fracture of third lumbar vertebra</p> <p>S32.039- Unspecified fracture of third lumbar vertebra</p> <p>S32.040- Wedge compression fracture of fourth lumbar vertebra</p> <p>S32.041- Stable burst fracture of fourth lumbar vertebra</p> <p>S32.042- Unstable burst fracture of fourth lumbar vertebra</p> <p>S32.048- Other fracture of fourth lumbar vertebra</p> <p>S32.049- Unspecified fracture of fourth lumbar vertebra</p> <p>S32.050- Wedge compression fracture of fifth lumbar vertebra</p> <p>S32.051- Stable burst fracture of fifth lumbar vertebra</p> <p>S32.052- Unstable burst fracture of fifth lumbar vertebra</p> <p>S32.058- Other fracture of fifth lumbar vertebra</p> <p>S32.059- Unspecified fracture of fifth lumbar vertebra</p> <p>* Code first any associated spinal cord and spinal nerve injury (S34-)</p>
810.00	Fracture of clavicle, closed, unspecified part
The appropriate 7 th character is to be added to each code from category S42 .	
A	initial encounter for closed fracture
B	initial encounter for open fracture
D	subsequent encounter for fracture with routine healing
G	subsequent encounter for fracture with delayed healing
K	subsequent encounter for fracture with nonunion
P	subsequent encounter for fracture with malunion
S	sequela
ICD-10-CM Codes	<p>** These codes require a 7th character extender.</p> <p>S42.009 Fracture of unspecified part of unspecified clavicle</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>S42.001 Fracture of unspecified part of right clavicle</p> <p>S42.002 Fracture of unspecified part of left clavicle</p> <p>S42.011 Anterior displaced fracture of sternal end of right clavicle</p> <p>S42.012 Anterior displaced fracture of sternal end of left clavicle</p> <p>S42.013 Anterior displaced fracture of sternal end of unspecified clavicle</p> <p>S42.014 Posterior displaced fracture of sternal end of right clavicle</p> <p>S42.015 Posterior displaced fracture of sternal end of left clavicle</p> <p>S42.016 Posterior displaced fracture of sternal end of unspecified clavicle</p> <p>S42.017 Nondisplaced fracture of sternal end of right clavicle</p> <p>S42.018 Nondisplaced fracture of sternal end of left clavicle</p> <p>S42.019 Nondisplaced fracture of sternal end of unspecified clavicle</p>

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	<p>S42.021 Displaced fracture of shaft of right clavicle</p> <p>S42.022 Displaced fracture of shaft of left clavicle</p> <p>S42.023 Displaced fracture of shaft of unspecified clavicle</p> <p>S42.024 Nondisplaced fracture of shaft of right clavicle</p> <p>S42.025 Nondisplaced fracture of shaft of left clavicle</p> <p>S42.026 Nondisplaced fracture of shaft of unspecified clavicle</p> <p>S42.031 Displaced fracture of lateral end of right clavicle</p> <p>S42.032 Displaced fracture of lateral end of left clavicle</p> <p>S42.033 Displaced fracture of lateral end of unspecified clavicle</p> <p>S42.034 Nondisplaced fracture of lateral end of right clavicle</p> <p>S42.035 Nondisplaced fracture of lateral end of left clavicle</p> <p>S42.036 Nondisplaced fracture of lateral end of unspecified clavicle</p>
805.2	Fracture, Dorsal (thoracic), closed
The appropriate 7 th character is to be added to each code from category S22 .	
A	initial encounter for closed fracture
B	initial encounter for open fracture
D	subsequent encounter for fracture with routine healing
G	subsequent encounter for fracture with delayed healing
K	subsequent encounter for fracture with nonunion
S	sequela
ICD-10-CM Codes	<p>** These codes require a 7th character extender.</p> <p>S22.078 Other fracture of T9-T10 vertebra</p> <p>S22.079 Unspecified fracture of T9-T10 vertebra</p> <p>S22.080 Wedge compression fracture of T11-T12 vertebra</p> <p>S22.081 Stable burst fracture of T11-T12 vertebra</p> <p>S22.082 Unstable burst fracture of T11-T12 vertebra</p> <p>S22.088 Other fracture of T11-T12 vertebra</p> <p>S22.089 Unspecified fracture of T11-T12 vertebra</p> <p>* Code first any associated: injury of intrathoracic organ (S27-), spinal cord injury (S24.0-,S24.1-).</p>
721.90	Spondylosis of unspecified site, without mention of myelopathy
ICD-10-CM Codes	<p>M47.819 Spondylosis without myelopathy or radiculopathy, site unspecified</p> <p>** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>M47.811 Spondylosis without myelopathy or radiculopathy, occipito-atlanto-axial region</p> <p>M47.812 Spondylosis without myelopathy or radiculopathy, cervical region</p> <p>M47.813 Spondylosis without myelopathy or radiculopathy, cervicothoracic region</p> <p>M47.814 Spondylosis without myelopathy or radiculopathy, thoracic region</p> <p>M47.815 Spondylosis without myelopathy or radiculopathy, thoracolumbar region</p> <p>M47.816 Spondylosis without myelopathy or radiculopathy, lumbar region</p> <p>M47.817 Spondylosis without myelopathy or radiculopathy, lumbosacral region</p> <p>M47.818 Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal region</p> <p>M47.20 Other spondylosis with radiculopathy, site unspecified</p> <p>M47.899 Other spondylosis, site unspecified</p> <p>M47.9 Spondylosis, unspecified</p>



ICD-9-CM Code	ICD-10-CM Code(s)
---------------	-------------------

726.2	Other affections of shoulder regions, not elsewhere classified
ICD-10-CM Codes	M75.00 Adhesive capsulitis of unspecified shoulder M75.01 Adhesive capsulitis of right shoulder M75.02 Adhesive capsulitis of left shoulder M75.30 Calcific tendinitis of unspecified shoulder M75.31 Calcific tendinitis of right shoulder M75.32 Calcific tendinitis of left shoulder M75.40 Impingement syndrome of unspecified shoulder M75.41 Impingement syndrome of right shoulder M75.42 Impingement syndrome of left shoulder M75.50 Bursitis of unspecified shoulder M75.51 Bursitis of right shoulder M75.52 Bursitis of left shoulder M75.80 Other shoulder lesions, unspecified shoulder M75.81 Other shoulder lesions, right shoulder M75.82 Other shoulder lesions, left shoulder M75.90 Shoulder lesion, unspecified, unspecified shoulder M75.91 Shoulder lesion, unspecified, right shoulder M75.92 Shoulder lesion, unspecified, left shoulder M25.711 Osteophyte, right shoulder M25.712 Osteophyte, left shoulder M25.719 Osteophyte, unspecified shoulder
718.81	Other joint derangement, not elsewhere classified, shoulder region
ICD-10-CM Codes	M24.811 Other specific joint derangements of right shoulder, not elsewhere classified M24.812 Other specific joint derangements of left shoulder, not elsewhere classified M24.819 Other specific joint derangements of unspecified shoulder, not elsewhere classified M25.211 Flail joint, right shoulder M25.212 Flail joint, left shoulder M25.219 Flail joint, unspecified shoulder M25.311 Other instability, right shoulder M25.312 Other instability, left shoulder M25.319 Other instability, unspecified shoulder
724.1	Pain in thoracic spine M54.6 Pain in thoracic spine
812.21	Fracture shaft of humerus, closed
The appropriate 7 th character is to be added to each code from category S42 .	
A	initial encounter for closed fracture
B	initial encounter for open fracture
D	subsequent encounter for fracture with routine healing
G	subsequent encounter for fracture with delayed healing
K	subsequent encounter for fracture with nonunion
P	subsequent encounter for fracture with malunion
S	sequela
ICD-10-CM Codes	** These codes require a 7th character extender. S42.301 Unspecified fracture of shaft of humerus, right arm S42.302 Unspecified fracture of shaft of humerus, left arm S42.309 Unspecified fracture of shaft of humerus, unspecified arm S42.311 Greenstick fracture of shaft of humerus, right arm S42.312 Greenstick fracture of shaft of humerus, left arm

ICD-9-CM Code	ICD-10-CM Code(s)
---------------	-------------------

ICD-10-CM Codes (cont.)	S42.319 Greenstick fracture of shaft of humerus, unspecified arm S42.321 Displaced transverse fracture of shaft of humerus, right arm S42.322 Displaced transverse fracture of shaft of humerus, left arm S42.323 Displaced transverse fracture of shaft of humerus, unspecified arm S42.324 Nondisplaced transverse fracture of shaft of humerus, right arm S42.325 Nondisplaced transverse fracture of shaft of humerus, left arm S42.326 Nondisplaced transverse fracture of shaft of humerus, unspecified arm S42.331 Displaced oblique fracture of shaft of humerus, right arm S42.332 Displaced oblique fracture of shaft of humerus, left arm S42.333 Displaced oblique fracture of shaft of humerus, unspecified arm S42.334 Nondisplaced oblique fracture of shaft of humerus, right arm S42.335 Nondisplaced oblique fracture of shaft of humerus, left arm S42.336 Nondisplaced oblique fracture of shaft of humerus, unspecified arm S42.411 Displaced simple supracondylar fracture without intercondylar fracture of right humerus S42.412 Displaced simple supracondylar fracture without intercondylar fracture of left humerus S42.413 Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus S42.414 Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus S42.415 Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus S42.416 Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus S42.421 Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus S42.422 Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus S42.423 Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus S42.424 Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus S42.425 Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus S42.426 Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus S42.431 Displaced spiral fracture of shaft of humerus, right arm S42.432 Displaced spiral fracture of shaft of humerus, left arm S42.433 Displaced spiral fracture of shaft of humerus, unspecified arm S42.434 Nondisplaced spiral fracture of shaft of humerus, right arm S42.435 Nondisplaced spiral fracture of shaft of humerus, left arm S42.436 Nondisplaced spiral fracture of shaft of humerus, unspecified arm S42.351 Displaced comminuted fracture of shaft of humerus, right arm S42.352 Displaced comminuted fracture of shaft of humerus, left arm S42.353 Displaced comminuted fracture of shaft of humerus, unspecified arm S42.354 Nondisplaced comminuted fracture of shaft of humerus, right arm
-------------------------	--



ICD-9-CM Code	ICD-10-CM Code(s)
812.21	Continued...
ICD-10-CM Codes (cont.)	<p>S42.355 Nondisplaced comminuted fracture of shaft of humerus, left arm</p> <p>S42.356 Nondisplaced comminuted fracture of shaft of humerus, unspecified arm</p> <p>S42.361 Displaced segmental fracture of shaft of humerus, right arm</p> <p>S42.362 Displaced segmental fracture of shaft of humerus, left arm</p> <p>S42.363 Displaced segmental fracture of shaft of humerus, unspecified arm</p> <p>S42.364 Nondisplaced segmental fracture of shaft of humerus, right arm</p> <p>S42.365 Nondisplaced segmental fracture of shaft of humerus, left arm</p> <p>S42.366 Nondisplaced segmental fracture of shaft of humerus, unspecified arm</p> <p>S42.391 Other fracture of shaft of right humerus</p> <p>S42.392 Other fracture of shaft of left humerus</p> <p>S42.399 Other fracture of shaft of unspecified humerus</p>
737.10	Kyphosis (acquired) (postural)
ICD-10-CM Codes	<p>M40.00 Postural kyphosis, site unspecified</p> <p>M40.03 Postural kyphosis, cervicothoracic region</p> <p>M40.04 Postural kyphosis, thoracic region</p> <p>M40.05 Postural kyphosis, thoracolumbar region</p> <p>M40.10 Other secondary kyphosis, site unspecified</p> <p>M40.12 Other secondary kyphosis, cervical region</p> <p>M40.13 Other secondary kyphosis, cervicothoracic region</p> <p>M40.14 Other secondary kyphosis, thoracic region</p> <p>M40.15 Other secondary kyphosis, thoracolumbar region</p> <p>M40.202 Unspecified kyphosis, cervical region</p> <p>M40.203 Unspecified kyphosis, cervicothoracic region</p> <p>M40.204 Unspecified kyphosis, thoracic region</p> <p>M40.205 Unspecified kyphosis, thoracolumbar region</p> <p>M40.209 Unspecified kyphosis, site unspecified</p> <p>M40.292 Other kyphosis, cervical region</p> <p>M40.293 Other kyphosis, cervicothoracic region</p> <p>M40.294 Other kyphosis, thoracic region</p> <p>M40.295 Other kyphosis, thoracolumbar region</p> <p>M40.299 Other kyphosis, site unspecified</p>
813.42	Other fractures of distal end of radius (alone), closed
The appropriate 7 th character is to be added to each code from category S52 .	
A	initial encounter for closed fracture
B	initial encounter for open fracture type I, or II initial encounter for open fracture NOS
C	initial encounter for open fracture type IIIA, IIB, or IIIC
D	subsequent encounter for closed fracture with routine healing
E	subsequent encounter for open fracture of type I or II with routine healing
F	subsequent encounter for open fracture type IIIA, IIB, or IIIC with routine healing
G	subsequent encounter for closed fracture with delayed healing

ICD-9-CM Code	ICD-10-CM Code(s)
H	subsequent encounter for open fracture type I or II with delayed healing
J	subsequent encounter for open fracture type IIIA, IIB, or IIIC with delayed healing
K	subsequent encounter for closed fracture with nonunion
M	subsequent encounter for open fracture type I or II with nonunion
N	subsequent encounter for open fracture type IIIa, IIB, or IIIC with nonunion
P	subsequent encounter for closed fracture with malunion
Q	subsequent encounter for open fracture type I or II with malunion
R	subsequent encounter for open fracture type IIIA, IIB, or IIIC with malunion
S	sequela
ICD-10-CM Codes	<p>** These codes require a 7th character extender.</p> <p>S52.501 Unspecified fracture of the lower end of right radius</p> <p>S52.502 Unspecified fracture of the lower end of left radius</p> <p>S52.509 Unspecified fracture of the lower end of unspecified radius</p> <p>S52.511 Displaced fracture of right radial styloid process</p> <p>S52.512 Displaced fracture of left radial styloid process</p> <p>S52.513 Displaced fracture of unspecified radial styloid process</p> <p>S52.514 Nondisplaced fracture of right radial styloid process</p> <p>S52.515 Nondisplaced fracture of left radial styloid process</p> <p>S52.516 Nondisplaced fracture of unspecified radial styloid process</p> <p>S52.551 Other extraarticular fracture of lower end of right radius</p> <p>S52.552 Other extraarticular fracture of lower end of left radius</p> <p>S52.559 Other extraarticular fracture of lower end of unspecified radius</p> <p>S52.561 Barton's fracture of right radius</p> <p>S52.562 Barton's fracture of left radius</p> <p>S52.569 Barton's fracture of unspecified radius</p> <p>S52.571 Other intraarticular fracture of lower end of right radius</p> <p>S52.572 Other intraarticular fracture of lower end of left radius</p> <p>S52.579 Other intraarticular fracture of lower end of unspecified radius</p> <p>S52.591 Other fracture of lower end of right radius</p> <p>S52.592 Other fracture of lower end of left radius</p> <p>S52.599 Other fracture of lower end of unspecified radius</p>
718.31	Recurrent dislocation of joint, shoulder region
ICD-10-CM Codes	<p>M24.411 Recurrent dislocation, right shoulder</p> <p>M24.412 Recurrent dislocation, left shoulder</p> <p>M24.419 Recurrent dislocation, unspecified shoulder</p>
810.02	Fracture shaft of clavicle, closed
ICD-10-CM Codes	<p>S42.021 Displaced fracture of shaft of right clavicle</p> <p>S42.022 Displaced fracture of shaft of left clavicle</p> <p>S42.023 Displaced fracture of shaft of unspecified clavicle</p> <p>S42.024 Nondisplaced fracture of shaft of right clavicle</p> <p>S42.025 Nondisplaced fracture of shaft of left clavicle</p> <p>S42.026 Nondisplaced fracture of shaft of unspecified clavicle</p>



ICD-9-CM Code	ICD-10-CM Code(s)	
354.2	Lesion of ulnar nerve	
ICD-10-CM Codes	G56.20	Lesion of ulnar nerve, unspecified upper limb
	G56.21	Lesion of ulnar nerve, right upper limb
	G56.22	Lesion of ulnar nerve, left upper limb
727.00	Synovitis and tenosynovitis, unspecified	
ICD-10-CM Codes	M65.89 Other synovitis and tenosynovitis, other site	
	There are additional code choice options in ICD-10-CM:	
	M65.80 Other synovitis and tenosynovitis, unspecified site	
	M65.811 Other synovitis and tenosynovitis, right shoulder	
	M65.812 Other synovitis and tenosynovitis, left shoulder	
	M65.819 Other synovitis and tenosynovitis, unspecified shoulder	
	M65.821 Other synovitis and tenosynovitis, right upper arm	
	M65.822 Other synovitis and tenosynovitis, left upper arm	
	M65.829 Other synovitis and tenosynovitis, unspecified upper arm	
	M65.831 Other synovitis and tenosynovitis, right forearm	
	M65.832 Other synovitis and tenosynovitis, left forearm	
	M65.839 Other synovitis and tenosynovitis, unspecified forearm	
	M65.841 Other synovitis and tenosynovitis, right hand	
	M65.842 Other synovitis and tenosynovitis, left hand	
	M65.849 Other synovitis and tenosynovitis, unspecified hand	
	M65.851 Other synovitis and tenosynovitis, right thigh	
	M65.852 Other synovitis and tenosynovitis, left thigh	
	M65.859 Other synovitis and tenosynovitis, unspecified thigh	
	M65.861 Other synovitis and tenosynovitis, right lower leg	
	M65.862 Other synovitis and tenosynovitis, left lower leg	
	M65.863 Other synovitis and tenosynovitis, unspecified lower leg	
	M65.871 Other synovitis and tenosynovitis, right ankle and foot	
	M65.872 Other synovitis and tenosynovitis, left ankle and foot	
	M65.879 Other synovitis and tenosynovitis, unspecified ankle and foot	
723.0	Spinal stenosis of cervical region	M48.02 Spinal stenosis, cervical region
726.10	Disorder of bursae and tendons in shoulder region, unspecified	
ICD-10-CM Codes	M75.50 Bursitis of unspecified shoulder	
	M75.51 Bursitis of right shoulder	
	M75.52 Bursitis of left shoulder	
840.8	Sprains and strains of other specified sites of shoulder and upper arm	
	The appropriate 7 th character is to be added to each code from category S43 and S46 .	
	A	initial encounter
	D	subsequent
	S	sequela
ICD-10-CM Codes	** These codes require a 7th character extender.	
	S43.90	Sprain of unspecified parts of unspecified shoulder girdle
	S43.91	Sprain of unspecified parts of right shoulder
	S43.92	Sprain of unspecified parts of left shoulder
	S46.011	Strain of muscle(s) and tendon(s) of the rotator cuff of the right shoulder

ICD-9-CM Code	ICD-10-CM Code(s)	
ICD-10-CM Codes (cont.)	S46.012	Strain of the muscle(s) and tendon(s) of the rotator cuff of the left shoulder
	S46.019	Strain of the muscle(s) and tendon(s) of the rotator cuff of the left shoulder
	S46.811	Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm
	S46.812	Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm
	S46.819	Strain of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm
	* Code also any associated open wound (S41-).	
805.06	Fracture, cervical, closed, sixth cervical vertebra	
	The appropriate 7 th character is to be added to each code from category S12 .	
	A	initial encounter for closed fracture
	B	initial encounter for open fracture
	D	subsequent encounter for fracture with routine healing
	G	subsequent encounter for fracture with delayed healing
	K	subsequent encounter for fracture with nonunion
	S	sequela
ICD-10-CM Codes	* These codes require a 7th character extender.	
	S12.500	Unspecified displaced fracture of sixth cervical vertebra
	S12.501	Unspecified nondisplaced fracture of sixth vertebra
840.7	Superior glenoid labrum lesion	
	The appropriate 7 th character is to be added to each code from category S43 .	
	A	initial encounter
	D	subsequent
	S	sequela
ICD-10-CM Codes	* These codes require a 7th character extender.	
	S43.431	Superior glenoid labrum lesion of right shoulder
	S43.432	Superior glenoid labrum lesion of left shoulder
	S43.439	Superior glenoid labrum lesion of unspecified shoulder
726.0	Adhesive capsulitis of shoulder	
ICD-10-CM Codes	M75.00 Adhesive capsulitis of unspecified shoulder	
	M75.01 Adhesive capsulitis of right shoulder	
	M75.02 Adhesive capsulitis of left shoulder	
733.13	Pathologic fracture of vertebrae	M84.48 Pathological fracture, other site, initial encounter for fracture
805.01	Fracture, cervical, closed, first cervical vertebra	
	The appropriate 7 th character is to be added to each code from category M80 .	
	A	initial encounter
	D	subsequent
	S	sequela



ICD-9-CM Code	ICD-10-CM Code(s)	
ICD-10-CM Codes (cont.)	* These codes require a 7 th character extender and consist of dummy placeholders.	
	M80.08	Age-related osteoporosis with current pathological fracture, vertebra(e)
	M84.48	Pathological fracture, other site, initial encounter for fracture
	M80.08	Age-related osteoporosis with current pathological fracture, vertebra(e)
	M84.58-	Pathological fracture in neoplastic disease, vertebrae, initial encounter for fracture
	M84.68	Pathological fracture in other disease, other site, initial encounter for fracture
812.41	Supracondylar fracture of humerus, closed	M84.68 Pathological fracture in other disease, other site, initial encounter for fracture
718.01	Articular cartilage disorder, shoulder region	M24.119 Other articular cartilage disorders, unspecified shoulder
726.11	Calcifying tendinitis of shoulder	
ICD-10-CM Codes	M75.30 Calcific tendinitis of unspecified shoulder M75.31 Calcific tendinitis of right shoulder M75.32 Calcific tendinitis of left shoulder	
812.01	Fracture of surgical neck of humerus, closed	
The appropriate 7 th character is to be added to each code from category S42 .		
A	initial encounter for closed fracture	
B	initial encounter for open fracture	
D	subsequent encounter for fracture with routine healing	
G	subsequent encounter for fracture with delayed healing	
K	subsequent encounter for fracture with nonunion	
P	subsequent encounter for fracture with malunion	
S	sequela	
ICD-10-CM Codes (cont.)	* These codes require a 7 th character extender.	
	S42.211	Unspecified displaced fracture of surgical neck of right humerus
	S42.212	Unspecified displaced fracture of surgical neck, left humerus
	S42.213	Unspecified displaced fracture of surgical neck of unspecified humerus
	S42.214	Unspecified nondisplaced fracture of surgical neck of right humerus
	S42.215	Unspecified nondisplaced fracture of surgical neck of left humerus
	S42.216	Unspecified nondisplaced fracture of surgical neck of unspecified humerus
727.62	Rupture of tendons of biceps (long head), nontraumatic	
ICD-10-CM Codes	M66.221 Spontaneous rupture of extensor tendons, right upper arm M66.222 Spontaneous rupture of extensor tendons, left upper arm M66.229 Spontaneous rupture of extensor tendons, unspecified upper arm	

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	M66.30 Spontaneous rupture of flexor tendons, unspecified site M66.311 Spontaneous rupture of flexor tendons, right shoulder M66.312 Spontaneous rupture of flexor tendons, left shoulder M66.319 Spontaneous rupture of flexor tendons, unspecified shoulder M66.321 Spontaneous rupture of flexor tendons, right upper arm M66.322 Spontaneous rupture of flexor tendons, left upper arm M66.329 Spontaneous rupture of flexor tendons, unspecified upper arm M66.821 Spontaneous rupture of other tendons, right upper arm M66.822 Spontaneous rupture of other tendons, left upper arm M66.829 Spontaneous rupture of other tendons, unspecified upper arm shoulder
810.01	Fracture sternal end of clavicle, closed
The appropriate 7 th character is to be added to each code from category S42 .	
A	initial encounter for closed fracture
B	initial encounter for open fracture
D	subsequent encounter for fracture with routine healing
G	subsequent encounter for fracture with delayed healing
K	subsequent encounter for fracture with nonunion
P	subsequent encounter for fracture with malunion
S	sequela
ICD-10-CM Codes	* These codes require a 7 th character extender. S42.011 Anterior displaced fracture of sternal end of right clavicle S42.012 Anterior displaced fracture of sternal end of left clavicle S42.013 Anterior displaced fracture of sternal end of unspecified clavicle S42.014 Posterior displaced fracture of sternal end of right clavicle S42.015 Posterior displaced fracture of sternal end of left clavicle S42.016 Posterior displaced fracture of sternal end of unspecified clavicle S42.017 Nondisplaced fracture of sternal end of right clavicle S42.018 Nondisplaced fracture of sternal end of left clavicle S42.019 Nondisplaced fracture of sternal end of unspecified clavicle
724.5	Backache NOS
ICD-10-CM Codes	M54.9 Dorsalgia, unspecified M53.3 Sacroiliac (Sacrococcygeal disorders, NEC) M54.89 Other dorsalgia
811.00	Fracture scapula NOS-closed
The appropriate 7 th character is to be added to each code from category S42 .	
A	initial encounter for closed fracture
B	initial encounter for open fracture
D	subsequent encounter for fracture with routine healing
G	subsequent encounter for fracture with delayed healing
K	subsequent encounter for fracture with nonunion
P	subsequent encounter for fracture with malunion
S	sequela



ICD-9-CM Code	ICD-10-CM Code(s)
811.00	Continued...
ICD-10-CM Codes (cont.)	<p>* These codes require a 7th character extender.</p> <p>S42.101 Fracture of unspecified part of scapula, right shoulder, initial encounter for closed fracture</p> <p>S42.102 Fracture of unspecified part of scapula, left shoulder, initial encounter for closed fracture</p> <p>S42.109 Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for closed fracture</p>
812.20	Fracture humerus NOS-closed
The appropriate 7 th character is to be added to each code from category S42 .	
A	initial encounter for closed fracture
B	initial encounter for open fracture
D	subsequent encounter for fracture with routine healing
G	subsequent encounter for fracture with delayed healing
K	subsequent encounter for fracture with nonunion
P	subsequent encounter for fracture with malunion
S	sequela
ICD-10-CM Codes	<p>* These codes require a 7th character extender.</p> <p>S42.301 Unspecified fracture of shaft of humerus, right arm, initial encounter for closed fracture</p> <p>S42.302 Unspecified fracture of shaft of humerus, left arm, initial encounter for closed fracture</p> <p>S42.309 Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture</p> <p>S42.90 Fracture of unspecified shoulder girdle, part unspecified, initial encounter for closed fracture</p> <p>S42.91 Fracture of right shoulder girdle, part unspecified, initial encounter for closed fracture</p> <p>S42.92 Fracture of left shoulder girdle, part unspecified, initial encounter for closed fracture</p>

Fast Forward

to ICD-10

